

Aesthetic Network Traffic Report

Sixteen domains, four instruments, and the distance between a request and a person

@jeffrey · Aesthetic.Computer · ORCID 0009-0007-4460-4913

9 September 2026

Abstract. Between 1 January and 9 September 2026 the sixteen domains of the Aesthetic.Computer network served **276,645,410** requests at the edge. Over the same period the runtime recorded **71,143** direct boots in which a human browser actually executed the application, plus 47,839 more inside an iframe — a ratio of about 3,889 edge requests to every one direct arrival. This report reads that gap from four primary instruments: Cloudflare zone analytics for all sixteen zones, the runtime’s own boot telemetry in MongoDB, the Caddy access log on the lith origin, and the server-side piece-hit ledger. Three findings organize it. First, the traffic is overwhelmingly the network talking to itself: on a representative day `/api/version` was 57.0% of all requests to `aesthetic.computer` and `handle-colors` another 16.4%, while 45.6% of requests came from headless Chrome we operate. Second, the human layer is small, real, flat, and almost entirely non-returning — 5,776 distinct clients across 106 countries in the eight weeks where client identity is trustworthy, of which 93.5% appeared on exactly one day and 18 clients produced 15.0% of all boots. It has no growth trend and no seasonal event; the one apparent spike in the record turned out to be an always-on gallery page of our own. Third, the one external channel that both delivers volume and survives contact with the runtime is the serendipity-directory web: `justforfun.io` sent 437 distinct clients whose pieces started 94% of the time, better than search, better than social, and better than any surface the project has ever paid attention to. I close with ten ranked openings, each tied to the measurement that motivates it.

1. INTRODUCTION

The question that produced this report was asked casually: how many people used Aesthetic.Computer this year? The honest first answer was that nobody knew, because the number that comes to hand — requests — is off by nearly four orders of magnitude from the number that matters, and nothing in the stack had ever been asked to reconcile them. Worse, the first pass at the reconciliation was itself wrong: the biggest apparent audience event of the year turned out to be a gallery page of our own, left running in a browser (§2.1).

Aesthetic.Computer is a runtime and social network for creative computing whose principal surface is a URL [[@jeffrey, 2026a,e](#)]. Over 2026 it stopped being one URL. Thirteen new domains were added to the account this year, bringing the network to sixteen: piece-specific front doors (`notepat.com`, `kidlisp.com`, `laklok.com`, `oskiewar.com`), project sites (`whistlegraph.org`, `quiltnet.org`, `menuband.app`), client work (`regarde.io`, `danzballet.studio`, `drvkforlife.com`), and personal publishing (`jas.life`, `justanothersystem.org`). Each was pointed at the same runtime or at a static build beside it, and each began accumulating numbers that nobody read.

This report reads them. It is a successor to the 2026 network audit [[@jeffrey, 2026b](#)], which asked who uses Aesthetic.Computer and what they make; the question here is narrower and more mechanical — what arrives, from where, what happens to it, and what breaks on the way. The posture follows the recent store audit [[@jeffrey,](#)

[2026c](#)]: every number comes from a primary pull, and the paper ends in ranked actions rather than in a shrug.

Three questions structure it. Section 2 establishes what each instrument can and cannot see, because the answer turns almost entirely on that. Sections 3 and 4 ask what the 276 million requests actually are. Sections 5 through 8 ask who the people are, how they arrive, whether they return, and what fails while they are here. Section 9 answers the third question — what to do — as ten ranked openings.

2. METHOD

Four instruments, pulled on 9 September 2026. They see different things, and the differences are the report.

Cloudflare zone analytics. Every one of the sixteen domains is proxied through Cloudflare, so nothing reaches an origin without being counted at the edge [[Cloudflare, Inc., 2026b](#)]. Daily request, page-view and unique-IP counts were pulled per zone for 2026-01-01 through 2026-09-09 via the GraphQL `httpRequestsIdGroups` dataset. All sixteen zones are on the free plan, which retains this dataset for the full year but restricts the higher-resolution `httpRequestsAdaptiveGroups` dataset — the one carrying path, user-agent and cache dimensions — to a one-day query window [[Cloudflare, Inc., 2026a](#)]. Every path-level figure in this report is therefore a single representative day: 2026-09-08 23:00 to 2026-09-09 23:00 UTC.

Boot telemetry. `/api/boot-log` writes one MongoDB

document per page load *that executes JavaScript*, carrying host, path, referrer, user-agent, language, timezone, screen geometry, an embedded-in-iframe flag, a signed-in handle once auth resolves, and a timestamped event trace of the boot itself. It shipped 2026-01-24, so the boot series covers 228 of the year’s 252 days. Because the beacon requires a working JavaScript runtime, crawlers that fetch HTML and stop are structurally invisible to it — which is exactly why it is the report’s human-layer instrument. Records were filtered to remove localhost and localDev loads, IP-literal hosts, and bot user-agents, leaving 118,982 boots, which then split into 71,143 *direct* boots and 47,839 boots inside an iframe (§2.1).

Origin access log. Caddy on lith.aesthetic.computer writes a JSON access log with full request headers [Caddy Web Server, 2026]. It rotates on size and retains roughly four hours at current volume, so it can answer questions about the present and none at all about the past. The sample used here is 103,451 requests over 3.75 hours on the evening of 9 September.

Piece-hit ledger. /api/piece-hit maintains a server-side counter per piece slug, incremented by the HTML index route on every page render including renders to crawlers. It is the only year-long record of what the router served, and it is polluted (§8.3).

2.1 What is not trustworthy, and why

Two instruments were pulled and then set aside, and one field was date-bounded. Recording this is not throat-clearing: three of the report’s four surprises are visible only because a number that looked authoritative was checked.

Client IP and country before 2026-07-14. boot-log.mjs read Netlify x-nf-* geo headers until commit 9dbe9b83fa. Production moved to lith — Caddy and Express behind Cloudflare — where those headers do not exist, so server.country was null on every boot ever recorded before that commit and server.ip held the Cloudflare edge address rather than the visitor’s. Any per-client count before 2026-07-14 is an undercount of unknown size. Every distinct-client figure in this report is therefore restricted to the 58-day window 2026-07-14 to 2026-09-09, and the earlier months are reported in boots only.

Cloudflare Web Analytics. A RUM beacon is installed on ten of the sixteen zones. It is not used here for two reasons: the free tier samples and rounds hard enough to report exactly “50000” visits for aesthetic.computer in two consecutive months, and the beacon fires from the headless browsers this project operates as readily as from people — which, as §4 shows, is most of the traffic.

Daily unique IPs. Cloudflare’s per-day unique count is reported per zone in the data bundle but is used in this text only as a shape, never as an audience.

Table 1: The sixteen zones, 2026-01-01 to 2026-09-09, ordered by edge requests. “Added” is the month the zone joined the account; a year means it predates 2026. Per-day unique-IP counts are in the data bundle and are deliberately not reproduced here (§2).

Zone	Added	Requests	Page views
aesthetic.computer	2023	240,863,362	6,253,413
jas.life	2025	28,167,461	1,604,759
laklok.com	May	2,325,608	8,372
sotce.net	2024	1,436,896	70,901
kidlisp.com	Jan	1,266,082	821,315
notepat.com	Feb	725,776	11,460
false.work	Jan	586,275	101,867
prompt.ac	Feb	457,447	10,606
menuband.app	Jul	302,047	22,453
justanotherstystem.org	Feb	285,752	145,854
whistlegraph.org	Jul	98,378	27,855
regarde.io	Jun	65,277	44,462
quilt.net.org	May	44,929	26,580
danzballet.studio	Jul	20,114	11,482
drvckforlife.com	May	5	2
oskiewar.com	Aug	1	0
Total		276,645,410	9,161,381

It sums across days, so a visitor present on thirty days counts thirty times, and it counts crawlers.

Embedded boots are not arrivals. 47,839 of the 118,982 filtered boots ran inside an iframe, and they are not people opening the network. 29,318 of them carry a *.kidlisp.com wall page as referrer — top.kidlisp.com alone accounts for 25,996 — and a further 16,485 carry no referrer at all. Nearly all of the second group fall in February, report the America/Los_Angeles timezone, enter at a bare \$code, and arrive at a flat 1,600 to 2,300 boots in *every hour of the day*, night included. That is an always-on gallery page cycling KidLisp codes in iframes, not an audience. It produced 43,584 boots in February, or 79.9% of that month, and it is the reason the first pass at this report mistook a screen in a room for the largest audience event in the project’s history. Every count of people below is therefore taken over direct boots only; embedded boots are reported separately where they matter, as in the marketplace referrers of §6.

3. THE NETWORK AS IT STANDS

Table 1 is the whole account. Thirteen of the sixteen zones were created during 2026; only aesthetic.computer (2023), sotce.net (2024) and jas.life (2025) predate the year.

Two things are visible immediately. The distribution is not long-tailed but bimodal: two zones carry 97.2% of all requests, and the bottom four carry, between them, about forty-nine minutes of the top one. drvckforlife.com served five requests in a year; oskiewar.com, registered in August for a game that has shipped twenty thousand recorded matches, served one. A domain that has served five requests in a year is not a surface. It is a renewal notice.

Second, page views and requests do not track.

Table 2: `aesthetic.computer` request mix, 2026-09-08 23:00 to 2026-09-09 23:00 UTC. Zone total 1,927,263.

Path	Requests	Share
<code>/api/version</code>	1,098,386	57.0%
<code>/.netlify/functions/handle-colors</code>	315,508	16.4%
<code>/api/piece-hit</code>	68,902	3.6%
<code>/</code>	64,428	3.3%
<code>/api/piece-log</code>	30,581	1.6%
<code>/aesthetic.computer/lib/parse.mjs</code>	8,918	0.5%
<code>/cdn-cgi/rum</code>	8,457	0.4%
<code>/aesthetic.computer/lib/num.mjs</code>	8,024	0.4%
<code>/aesthetic.computer/bios.mjs</code>	7,933	0.4%
<code>/api/macpal-art</code>	6,447	0.3%
Top five	1,577,805	81.9%

`laklok.com` took 2.3 million requests against 8,372 page views, a ratio of 278:1; `kidlisp.com` took 1.27 million requests against 821,315 page views, a ratio of 1.5:1. The first is a runtime endpoint being hammered; the second is a static site being read. The account contains both kinds of object and the aggregate number describes neither.

4. WHAT THE REQUESTS ACTUALLY ARE

Table 2 resolves the top zone for one full day. The day carried 1,927,263 requests. Five paths are 81.9% of them, and not one of the five is a person opening a piece.

`/api/version` is a build-freshness check. The origin log shows its cadence directly: one client made 12,122 requests to it in 3.75 hours, or one every 1.04 seconds, and seven clients between them accounted for 51,882 of the sample’s 53,315 hits on that path. It is a one-hertz poll, per open tab, forever. Cloudflare answered 1,159,323 requests that day with a `dynamic 304` — uncached, forwarded to the origin, and empty. The poll is not serving anyone; it is maintaining a heartbeat that nothing listens to at that resolution.

`handle-colors` is worse in kind if not in volume: 315,508 requests a day for a colour lookup, issued from `disk.mjs` and `disk.worker` at roughly two-thirds of a hertz per session. It is a pure function of a handle, and it is being fetched over the network sixty times a minute.

`/api/piece-hit` is the origin talking to itself. The HTML index route records a hit by issuing an HTTP POST, via `got`, to its own public URL — out through Cloudflare and back in. In the origin sample, 9,647 of 103,451 requests (9.3%) came from `lith`’s own address carrying the `got` user-agent. Every page render costs a second round trip through the CDN to increment a counter that is one process away.

The user-agent split confirms the shape. Of the day’s 1,927,263 requests, **878,712 (45.6%)** were classified `ChromeHeadless` — the project’s own oven, capture and streaming fleet — and a further 399,015 (20.7%) were unclassifiable. Chrome, Firefox, Mobile Safari, Chrome




Figure 1: The network’s year, reduced. Each band is measured by a different instrument (§2). Bar length is $\log_{10}$ of the count, so six orders of magnitude stay visible in one frame. Period is 2026-01-01 to 2026-09-09, except the bottom two bands (2026-07-14 to 2026-09-09). A further 47,839 boots ran inside an `iframe` and are excluded from the bottom three bands (§2.1).

Table 3: Direct human boots by month. “Ran” is the share whose event trace reached `running boot`, the point at which the piece is on screen. Clients before July are undercounts (§2) and are omitted. Embedded boots are excluded throughout (§2.1).

Month	Boots	Ran	Mobile	Clients
Jan (from 24th)	2,852	64.8%	—	—
Feb	10,955	67.5%	26.3%	—
Mar	9,253	66.7%	41.4%	—
Apr	11,300	73.5%	38.9%	—
May	8,383	72.4%	45.8%	—
Jun	8,707	74.3%	44.8%	—
Jul	6,965	85.6%	41.1%	1,579
Aug	9,201	81.3%	45.9%	2,970
Sep (to 9th)	3,527	72.0%	29.5%	1,847
Total	71,143	73.4%		

Mobile, Samsung Internet and Safari together, which is the whole of what a person could plausibly be holding, account for 640,933 requests, or 33.3%. And most of that third is the polling described above, issued by browsers that people had already opened.

Figure 1 states the reduction end to end.

5. THE HUMAN LAYER

71,143 boots opened the runtime directly — not inside anybody’s `iframe` — between 24 January and 9 September. Table 3 breaks them down.

The striking thing about this table is that nothing happens in it. Every full month of 2026 sits between 8,383 and 11,300 direct boots. There is no growth, no decay, and — once the gallery page of §2.1 is removed — no event. The network has run at roughly 300 human boots a day, every day, for eight months, through

Table 4: Top countries by distinct client, direct boots, 2026-07-14 to 2026-09-09. 106 countries appear in total.

	Cl.	Boots		Cl.	Boots
US	1,220	3,296	NL	69	270
DK	935	7,447	IN	66	81
NO	486	865	GB	59	163
CN	280	296	AR	52	66
SG	199	202	DE	51	97
FR	146	182	HK	51	53
BR	119	146	BD	49	49

thirteen domain launches, an installation, a native OS release and a game.

What does move is the client count in the trustworthy window: 1,579 in July, 2,970 in August, 1,847 in the first nine days of September. Across the whole 58-day window the runtime was opened directly by **5,776 distinct clients in 106 countries**. Flat boots against a rising client count means the same volume spread across more people: more strangers, each staying less. That is the shape of a site being discovered, not of one being used.

The one durable destination is the Danish clock. /laer-klokken took 22,278 direct boots across the year and never fell below 2,441 in any full month, peaking at 4,157 in April, with 998 distinct clients opening it between June and September alone. It is the only piece in the network with a habit attached to it, and it is a clock — an object whose entire proposition is that you look at it again tomorrow.

The geography follows from that. Table 4 ranks by client rather than by volume, which separates a distributed audience from a single busy machine: Turkey sits high by boots and nearly nowhere by clients, because almost all of it is one Aesthetic.Computer Native OS device polling from a single address.

935 Danish clients produced 7,447 boots in 58 days against 3,296 from 1,220 American ones. The clock is the whole of that difference.

Roughly 42% of direct boots are mobile. The signed-in layer is much smaller than the identity layer suggests: 2,973 handles are registered, and 41, 73 and 31 distinct handles appeared in July, August and the first nine days of September respectively. In its best month the network was used, while signed in, by 2.5% of the people who have ever claimed a name on it.

6. ARRIVAL

Only about one direct boot in twelve carries an external referrer. What those referrers are is the most actionable table in the report.

Read the clients column, not the boots column. `bing.com` sent 504 boots from 130 clients — a handful of people reloading, or a crawler with a browser. `justforfun.io` sent 487 boots from **437 distinct clients**:

Table 5: External referrers by boots, whole year. “Run” is the share of arrivals whose trace reached `running boot`. Rows marked ‡ deliver every arrival inside an `iframe`. Sources referring fewer than 30 boots are omitted.

Referrer	Boots	Clients	Run
<code>www.google.com</code>	926	553	86%
<code>jas.life</code>	886	511	71%
<code>bing.com</code>	504	130	94%
<code>justforfun.io</code>	487	437	94%
<code>mail.google.com</code>	454	181	94%
<code>www.tiktok.com</code>	236	185	78%
<code>google (Android search)</code>	219	139	88%
<code>cloudhiker.net</code>	202	179	78%
<code>l.instagram.com</code>	170	105	90%
<code>www.facebook.com</code>	162	119	33%
<code>www.raster.art‡</code>	91	73	45%
<code>opensea.io‡</code>	87	70	30%
<code>openweird.com</code>	81	78	86%
<code>github.com</code>	76	54	92%
<code>duckduckgo.com</code>	54	35	96%
<code>tangled.org</code>	52	39	88%
<code>whistlegraph.org</code>	46	30	78%
<code>go.bsky.app</code>	33	29	91%
<code>rhizome.org</code>	32	26	91%
<code>pointlessites.com</code>	30	24	93%

437 different people, one visit each, 94% of whom got a running piece. By that measure it is the single best-performing external surface the network has, ahead of Google.

`justforfun.io`, `cloudhiker.net`, `openweird.com` and `pointlessites.com` are the same kind of object — serendipity directories, the “random interesting website” genre that survived the social era by not competing with it. Alongside them in the referrer tail sit `tinytools.directory`, `dog-house.neocities.org` and `sadgrlonline.github.io`: personal link pages and small-web indexes. Nobody at this project submitted anything to any of them on purpose.

Where they point is `nopaint.art`, which is not in Table 1 because its DNS sits outside this Cloudflare account, and which nonetheless quietly became the network’s best front door. It took 1,238 boots from **1,069 distinct clients**, essentially all of them landing on /: 431 from `justforfun.io`, 76 from `openweird.com`, 47 from Google, 29 from `pointlessites.com`, 14 from a Neocities page, 12 from Reddit. One piece, one path, no prompt, no login — and a run rate that beats the main domain.

Three referrers lose most of what they send. `www.facebook.com` arrivals reach graphics initialisation 94% of the time and `running boot` only 33% of the time: the canvas appears and they are gone within the second it takes to load the piece. `opensea.io` (289 boots, all inside an `iframe`) and `www.raster.art` (140 boots, all embedded) run 57% and 56% of the time, and contribute most of the report’s zero-event records — boots that registered and then never reported another line. Embedded playback of a token’s artwork is a materially worse

Table 6: Days active per distinct client, direct boots, 2026-07-14 to 2026-09-09 (58 days).

Days active	Clients	Boots	Share of boots
1 day	5,401	10,512	63.1%
2–4 days	323	2,604	15.6%
5–9 days	33	1,035	6.2%
10+ days	18	2,503	15.0%
Total	5,776	16,660	

experience than opening the same piece directly, and it is measurable.

7. RETURN

Table 6 is the retention picture over the trustworthy window. It is the least comfortable table here.

93.5% of the people who opened a piece did so on exactly one day and never came back. Fifty-one clients — fifty-one — returned on five or more days, and eighteen of those produced 15.0% of every direct boot in the window. The network has an audience of nearly six thousand and a community of about fifty.

The making signals agree. Paintings saved per month ran 46, 47, 67, 39, 38, 23, 78, 142 from January to August — a real recovery in the second half, and still under five a day. Chat messages fell from 876 in March to 38 in August and 5 in the first nine days of September, against 12,449 in the same collection for 2024; mood posts fell from 52 in March to 13 in August. Hearts, the reaction primitive added in February, rose steadily to 65 in August. The parts of the network that ask for a sentence are emptying; the parts that ask for a tap are holding.

8. ENDPOINT HEALTH

8.1 Boot latency

Median boot time for direct arrivals held between 3.0 and 4.6 seconds from March onward, with the 90th percentile between 6.5 and 9.0 seconds. January and February are worse — p50 10.4 s and 6.6 s — because client-side timing then covered module-graph fetches later moved behind the service worker. For September the figures are p50 2.98 s and p90 8.32 s. The classical usability threshold for holding attention is one second for flow and ten seconds for abandonment [Nielsen, 1993]; a tenth of arrivals are at or past the second of those limits before the instrument makes a sound.

8.2 Errors and unresolved boots

Explicit boot errors are rare and concentrated: 1,334 across the year, of which 520 fell in August. The dominant terminal event is `connection error --- retrying`, 514 occurrences since June, followed by module-load retries. These are network failures on the module graph,

Table 7: Measurement defects found while assembling this report.

Defect	Consequence
Geo headers wrong until 2026-07-14	No country and no true client IP for the first six months of the year. Fixed in 9dbe9b83fa.
piece-hits accepts any slug	The second most-hit “piece” of 2026 is +CSCOE+/logon.html, a Cisco VPN exploit probe, at 20,435 hits; +webvpn+/index.html is sixth at 9,802.
KidLisp registry dark	The kidlisp collection last recorded a read on 2026-04-19 and last accepted a new code on 2026-06-17, while /api/store-kidlisp still takes ~290 requests every 3.75 h. Its hits and lastAccessed columns are frozen.
No product analytics	shared/posthog-policy.mjs classifies every endpoint in the system for PostHog, with per-class exclusions. No project token is configured in the repository or the vault. The policy is complete and the instrument was never installed.

which is the same failure surface addressed by the service-worker timeout race shipped in September.

A larger category is quieter. In September, 1,213 of 3,601 boots remain at status `started`: the document was created and the completion write never arrived. 299 of them carry zero events at all; 281 stall at `loading core modules`; 193 recorded `running boot` — meaning the piece did start — and were never marked complete. This is a mix of real abandonment and a telemetry write that does not survive a closing tab, and the two cannot currently be separated. It is why this report uses “reached `running boot`” rather than “status success” as its completion measure.

On the origin, 1,190 responses in a 3.75-hour sample were 5xx. They are almost entirely two endpoints: /api/macpal-status (618) and /api/macpal-art (310) returned 500 continuously, which extrapolates to roughly six thousand errors a day, with /api/flux adding 73 503s and /api/pruttivox 15. Two broken endpoints have been failing on every call, at volume, for long enough that nobody noticed.

The origin also absorbs a steady scan load — 488 requests to /wp-admin/index.php and 261 to /wp-login.php in the same 3.75 hours — which is unremarkable in itself and consequential only because of what it does to the piece ledger.

8.3 Instrumentation faults

Four defects change what can be claimed, and all four are cheap to fix.

The KidLisp gap is the expensive one. KidLisp codes are the artifact the network was built to pass around [Jeffrey, 2026d], and the canonical record of their creation and access has been blind for a quarter of the year while the codes themselves continue to serve.

9. TEN OPENINGS

Ranked by expected effect per hour of work. Each names the measurement that motivates it.

1. Stop polling `/api/version` at one hertz. 1,098,386 requests in a day, 57.0% of the zone, answered 1,159,323 times with an empty 304. A 60-second interval with edge caching, or a push over the session socket that already exists, removes about 1.08 million requests a day and makes every other number in this report legible for the first time. Nothing downstream needs second-resolution build freshness.

2. Stop fetching `handle-colors` over the network. 315,508 requests a day, 16.4% of the zone, for a pure function of a handle called from `disk.mjs` and `disk.worker`. Compute it locally or ship it as an immutable hashed asset. Openings 1 and 2 together are 73.4% of the top domain's traffic.

3. Call piece-hit in process. lith issues 9,647 HTTP POSTs to its own public URL in 3.75 hours, out through Cloudflare and back. It is one function call away. Fix the slug filter in the same change so the ledger stops recording exploit probes as pieces.

4. Fix the two endpoints that fail on every call. `/api/macpal-status` and `/api/macpal-art` returned 500 to 928 of 928 requests in the sample. Add the alert while you are there: 5xx rate per endpoint is one Grafana panel, and its absence is the reason this went unnoticed.

5. Restore the KidLisp registry, then read it. No creation record since 17 June and no read record since 19 April, for the language the network is named around. Direct arrivals at a bare `$code` fell from 681 in June to 22 in the first nine days of September, and with the registry dark there is no way to tell whether people stopped making codes or the store stopped saying so.

6. Submit every domain to the serendipity directories. `justforfun.io` delivered 437 distinct clients at a 94% run rate without being asked. `cloudhiker.net`, `openweird.com`, `pointlessites.com` and `tinytools.directory` did the same at smaller scale. These are submission forms, not campaigns; the cost is an afternoon and the measured conversion beats Google. Submit `nopaint.art`, `notepat.com`, `kidlisp.com`, `laklok.com` and `oskiewar.com` separately, because each is a single-purpose page of exactly the kind those indexes list.

7. Treat `nopaint.art` as the front door it already is. 1,069 distinct clients, one path, no prompt, no login, a better run rate than the main domain. It is the only surface in the network that a stranger can succeed at in four seconds. Everything the project wants a newcomer to find should be reachable from it, and the same shape — one piece, one path, no chrome — should be what every other piece domain serves at /.

8. Give the 5,776 a reason to come back. 93.5% of clients appeared on exactly one day, and the only re-

tention instrument in the whole record is a push-token collection holding three rows. The network already knows what works: `/laer-klokken` held 2,441 to 4,157 boots a month for eight months because a clock is worth opening again tomorrow. Build the second one, and give people a low-friction way to be told when it changes.

9. Cut p90 boot time below four seconds. p50 is 2.98 s and p90 is 8.32 s, and 73.4% of direct boots reach running boot against 94% for the best-converting referrer. Strangers on cold caches are the gap. The service-worker and immutable-bundle work shipped in September addresses the module graph; the remaining cost is bios and its imports, which are still fetched as thirty-two separate files.

10. Decide about the empty domains. `drvkfforlife.com` served five requests this year and `oskiewar.com` served one, for a game with twenty thousand recorded matches. Either point them at something — `oskiewar.com` at the game, per opening 7 — or let them lapse. Sixteen zones with two carrying 97.2% of traffic is not a network; it is one network and fourteen parked names.

10. ETHICS, PRIVACY, LIMITATIONS

No individual is identified in this report. Boot telemetry records a handle only after authentication resolves, and handles appear here only as counts. IP addresses were used to count distinct clients and to separate a single busy machine from a distributed audience; they are not reproduced, and the shipped data bundle contains no address, no handle and no user agent string. Geography is reported at country level, as Cloudflare supplies it. The one client examined individually — the Turkish address making 14,366 requests — is a device this project operates.

Three limitations bound the conclusions. Distinct-client counts rest on IP addresses, which conflate households behind a NAT and split mobile users who roam; they are a floor, not a census. The path-level and user-agent figures come from a single day, because the free Cloudflare tier will not answer a wider question, and a single day in early September may not represent the year. The completion measure (“reached running boot”) cannot distinguish a boot that failed from a person who left after one second, which is precisely the ambiguity opening 4 of the telemetry work should remove. And the direct/embedded split rests on a browser-reported flag plus a referrer: an always-on display that reports neither would still be counted as a person, and this report found one such surface only because its hourly profile was flat at four in the morning.

11. CONCLUSION

The network served 276,645,410 requests and was opened by roughly 5,800 people, fifty-one of whom came

back on more than four days. Both numbers are true, and the distance between them is not a measurement artifact — it is a description of the system. Ninety-three percent of the traffic is the network talking to itself at one hertz, the largest apparent audience event in the record was a screen in a room, and the instrument that could have told us either of those things was never installed.

What the data does not show is a demand problem. About a hundred new machines a day, three hundred boots, have arrived every day for eight months — from search, from a Danish clock, and most efficiently from a handful of volunteer indexes of interesting websites that nobody here has ever contacted. When they arrive at a single-purpose page they succeed nine times in ten; when they arrive at a prompt, seven times in ten; when they arrive inside a marketplace iframe, one time in three. What the data does show is a returning problem, and a clock in Denmark is the only thing in eight months that has solved it. The openings above are ordered by that difference. Nine of the ten cost less than a day.

12. APPENDIX: THE ROUTER’S YEAR

Table 8 sets the two ledgers side by side. The left panel is every request the HTML router answered for a slug, crawlers included; the right panel is the same period counted in humans who actually ran the piece. They disagree about almost everything, and the disagreement is the report in miniature.

Table 8: Left: top slugs by server-side hit, 2025-12-31 to 2026-09-09, from the *piece-hits* ledger. Right: top named destinations by distinct human client, 2026-06-01 to 2026-09-09, from boot telemetry. Rows marked † are exploit probes the ledger records as pieces (§8.3).

Slug	Hits	Piece	Cl.	Boots
prompt	4,994,635	laer-klokken	998	8,654
+CSCOE+†	20,435	starfield	290	431
laer-klokken	19,800	notepat	182	231
nopaint	11,093	nopaint	126	177
notepat	10,981	laklok	112	499
+webvpn+†	9,802	chat	86	115
\$bop	3,775	kidlisp	55	88
\$4xa	3,172	r8dio	52	102
\$ceo	2,927	baktok	49	78
\$roz	2,858	prutti	42	56
\$pie	2,798	processing	41	44
\$cow	2,517	list	35	51
starfield	2,094	@jeffrey	30	40
\$nsh	1,940	girlfriend	26	43
api/.env†	1,817	dannom	16	36

Three readings. First, *prompt* — the default piece, served for every bare load of the domain — is 92.7% of the ledger’s 5,390,161 recorded hits, which makes the ledger a measure of the front page and not of the catalogue. Second, three of the fifteen most-hit slugs of 2026 are exploit probes: *+CSCOE+/logon.html* and

+webvpn+/index.html are Cisco VPN reconnaissance, and *api/.env* is a credentials sweep that has run every day since 1 January. Each of them out-ranks every KidLisp code in the system. Third, the human panel is two orders of magnitude smaller and ranks differently: *starfield*, which does not appear in the ledger’s top twelve, is the second most-visited named piece by real people, and *laklok* draws 4.5 boots per client — the highest repeat rate of any destination outside the clock itself.

One more distribution belongs here, because it is the clearest picture of how the network is actually addressed. Sorting all 71,143 direct boots by the shape of the entry URL gives 38,154 arrivals at the root or */prompt* (53.6%), 30,439 at a named piece (42.8%), 1,620 at a bare KidLisp *\$code* (2.3%), and 930 at a *@handle* page (1.3%). Two of those numbers are uncomfortable. A person opens somebody else’s KidLisp code by its three-letter name about six times a day across the entire network: outside the gallery iframe, the sharing gesture the language was designed around is almost unused. And the *@handle* page, the one surface that would make a person findable, is 1.3% of arrivals in a system holding 2,973 registered names. The named-piece share does grow — 32% of February’s direct boots, 58% of September’s — which is the report’s one unambiguous trend: people increasingly arrive at a thing rather than at a prompt.

The practical consequence is opening 3. A ledger that cannot tell a piece from a probe cannot be used to decide what to build next, which is the only reason to keep it.

References

- Caddy Web Server. Log directive and json access-log encoder, 2026. <https://caddyserver.com/docs/caddyfile/directives/log>.
- Cloudflare, Inc. Analytics datasets and retention limits, 2026a. <https://developers.cloudflare.com/analytics/graphql-api/features/data-s ets/>.
- Cloudflare, Inc. GraphQL Analytics API, 2026b. <https://developers.cloudflare.com/analytics/graphql-api/>.
- @jeffrey. Aesthetic.Computer ’26: A mobile-first runtime for creative computing, 2026a. arXiv preprint draft in repository.
- @jeffrey. Network audit: Who uses Aesthetic.Computer and what do they make?, 2026b. arXiv preprint draft in repository.
- @jeffrey. iOS so far: Ten years of Aesthetic.Computer on apple’s store, 2026c. arXiv preprint draft in repository.
- @jeffrey. KidLisp: A minimal lisp for generative art, 2026d. arXiv preprint draft in repository.
- @jeffrey. The URL tradition, 2026e. arXiv preprint draft in repository.
- Jakob Nielsen. Response times: The 3 important limits. *Usability Engineering*, 1993.



Source bundle

The attached ZIP contains the paper’s machine-readable text sources and a plain-text inventory. It supports accessibility, audit, quotation, and reproducible editing; the PDF remains the canonical reading edition. Private evidence, credentials, raw datasets, generated PDFs, and unlisted assets are excluded.